

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1. (CURRENTLY AMENDED) A method of ~~transferring acquiring~~ data to be filed in a mobile communication device, having data storage locations therein, wherein the mobile communication device includes an optical data capture mechanism, an interpretation ~~algorithm for interpreting acquired data, and a control process for controlling the mobile communication device and the interpretation algorithm,~~ the method comprising:

~~providing converting~~ data in a computer-readable form to be ~~transferred to the optical data capture mechanism of the mobile communications device into one or more graphic representations readable by the optical capture mechanism of the mobile communication device;~~

~~reading the one or more graphic representations~~ data with the optical capture mechanism of the mobile communication device;

~~determining, by a protocol of decoding, in the mobile communication device, the one or more graphic representations read by the optical capture mechanism, using an interpretation algorithm which converts the one or more graphic representations into data for storage in the mobile communication device, if the data can be stored in a single graphics file; and~~

~~converting storing the data to a graphic representation in data storage locations in the mobile communication device; and~~

~~storing the graphic representation in the mobile communication device.~~

Claims 2 and 3 canceled.

Claim 4. (CURRENTLY AMENDED) The method of claim 1 ~~in 3~~, which the step of reading the one or more graphic representations further includes, when reading each of the one or more graphic representations,

determining whether the graphic representation is successfully captured, and, if the graphic representation is not successfully captured, reading the graphic representation until capture is successful.

Claim 5. (CURRENTLY AMENDED) The method of claim 1 ~~in which the data to be transferred is the factory default setting, the converting step further including converting the~~~~includes capturing a factory default setting into one or more graphic representations, and the step of storing the data further including storing the graphic representation to~~
restore factory default setting in the mobile communication device.

Claim 6. (CURRENTLY AMENDED) The method of claim 1 wherein the data to be transferred is preferred roaming list data, the converting step further including converting the preferred roaming list data into one or more graphic representations, and the step of storing the data including storing the preferred roaming list data in the mobile communication device.

Claims 7-16 canceled.

Claim 17. (NEW) A method of transferring data to a mobile communication device, having data storage locations therein, wherein the mobile communication device includes a camera, the method comprising:

- converting data to be transferred to the mobile communications device into one or more graphic representations readable by the camera of the mobile communication device;
- reading the one or more graphic representations with the camera of the mobile communication device to capture an image of each graphic representation;
- determining, for each graphic representation read, whether the graphic representation is successfully captured and, if not, performing the reading step again until the capture is successful;
- decoding, in the mobile communication device, the one or more graphic representations captured by the camera, using an interpretation algorithm which converts the one or more graphic representations into data for storage in the mobile communication device; and
- storing the data in data storage locations in the mobile communication device.

Claim 18. (NEW) The method of claim 17 in which the data to be transferred is the factory default setting, the converting step further including converting the factory default setting into one or more graphic representations, and the step of storing the data further including storing the factory default setting in the mobile communication device.

Claim 19. (NEW) The method of claim 17 wherein the data to be transferred is preferred roaming list data, the converting step further

including converting the preferred roaming list data into one or more graphic representations, and the step of storing the data including storing the preferred roaming list data in the mobile communication device.

Claim 20. (NEW) A method of transferring data to a mobile communication device at the time of manufacture, wherein the mobile communication device has data storage locations therein, a camera, and a control process for decoding graphics therein in accordance with an algorithm, the method comprising:

converting data to be transferred to the mobile communications device at the time of manufacture into one or more graphic representations readable by the camera of the mobile communication device;

reading the one or more graphic representations with the camera;

decoding, in the mobile communication device, the one or more graphic representations read by the camera, using the algorithm to convert the one or more graphic representations into data for storage in the mobile communication device; and

storing the data in data storage locations in the mobile communication device.